



EAST AFR. PROT.
1402

Memorandum
12
Guard
Date
912
January
Paper

MOMBASA WATER SUPPLY AND DRAINAGE

States existing system of surface drains only effective over a very small area of the island. States what is being done with regard to drawing up plans. It is not expected that the water will be available until 1914 and it is intended to meet cost of drainage from Schedule 31 of estimates between now and then.

~~Mr. Fiddes~~
Sir G. Fiddes.

The telegram of the 19th of Dec^r on Gov. 18596 to which this is a reply was sent at the suggestion of the Advisory Medical and Sanitary Committee for Tropical Africa. It is comforting to think that the question of drainage has not been overlooked. Nothing is provided for this purpose in the estimates for 1912-13. We must bear the matter in mind.

Amch. 26. 1896

The Medical & Sanitary Committee will be interested to learn of this reply. Communicate it to them and

has put up?

M.B.

Jan 15

There should certainly see. They will probably
have an opportunity to compare ultimately with all the details
of the drainage project.

alone
P.T. 16

Meeting of

Circulated in print to T.A.M.S. Committee 1 Feb 1912

Mr. Fiddian

Extract from minutes of the 35th meeting of
the T.A.M.S. Committee 6 Feb 1912 :-

The Committee discussed the telegraphic
correspondence with the Governor of the East Africa Protectorate
in regard to the water supply and surface drainage of
Mombasa. Mr. Read pointed out in connexion with the
general question of the sanitation of Mombasa, that the

existence of special treaties between Zanzibar
and with France & Germany in regard to the treatment
of their subjects had been held by the local authorities
to constitute a difficulty in the way of levying
rates; but that he considered that it would be best
to ignore the existence of treaties and proceed
accordingly. He then read to the Committee some notes
of a discussion of this question with the Governor
and Principal Medical Officer.

Mr. Prout suggested that care should be taken
that the drains were so constructed with regard to
surface drains that pools would not be formed round
them.

9/2

Mr. Read I do not know at what stage
the last few of these minutes should be
communicated to the I.A.P., or indeed whether
it need be communicated at all. If not,
put by.

AF 10/12

Self. has circulated to T.A.M.S. Committee 12 March 1912

Put by
at meeting
p. 7

1402

52/1

C. O.
1402

Telegram. The Governor of the East Africa Protectorate to the
Secretary of State for the Colonies.

(Received, Colonial Office 12.55 p.m. 13th January, 1912.)



4
18596
11

No. 12. Your telegram 18th December, existing system of surface drains only effective over very small area of the island. At the present moment contour survey of the island is in hand which will enable town-planning Committee which has been considering question since 1909 to submit final report indicating general plan of roads and drains and where water pipes will run. When this is completed Public Works Department will prepare estimate for necessary drainage system meeting all requirements of the health authorities. It is not expected that water will be available till 1914 and it is intended to meet cost of necessary drainage from Schedule 31 of the Protectorate estimates between now and then.

Girouard.

x 18596/11


REPLIES SHOULD BE ORDERED

Via Eastern

144

Doubtful words should be OFFICIALLY repeated

No inquiry respecting this Telegram can be attended without production of this Copy



London	London	London	London
2030 Cannon St	117 Strand, W.C.	2570 Strand	117 Strand, W.C.
2030 Cannon St	449 Strand, W.C. Charing Cross	2570 Strand	117 Strand, W.C.
2014 Cannon St	144 Strand, W.C.	1014 Strand	117 Strand, W.C.
2014 Cannon St	144 Strand, W.C.	1014 Strand	117 Strand, W.C.
2014 Cannon St	144 Strand, W.C.	1014 Strand	117 Strand, W.C.
2014 Cannon St	144 Strand, W.C.	1014 Strand	117 Strand, W.C.
2014 Cannon St	144 Strand, W.C.	1014 Strand	117 Strand, W.C.
2014 Cannon St	144 Strand, W.C.	1014 Strand	117 Strand, W.C.

467 NAIROBI 81 11*20AM GOVT 13 JAN 1912

CHAPELRIES LONDON =



Your rec is due

12 UPGRATHERS EXISTING SYSTEM OF SURFACE DRAINS

ONLY EFFECTIVE OVER SERSIFIX AREA OFFERT ISLAND

SILVERGRAY MONADICAL CONTOUR SURVEY OFFERT ISLAND

very small

of the

at present moment

of the

REPLIES SHOULD BE ORDERED *Via Eastern*

145



Country names should be OFFICIALLY repeated. See Rule 500.
Responsibility regarding this information is to be extended to without production of this copy.

3832 London Wall 83 Lines	Old Broad Street E.C.	2995 Hope	6, Debra's Street, Bury St. S.E.
2828 Gerrard	119, Strand, W.C. (Charing Cross)	2516 Gerrard	4, 44, Palladium, Bury St. W.
881 Avenue	1, Leadenhall Street, E.C.	1014 Holborn	11, Holborn Viaduct, E.C.
802 Avenue	Market Buildings, Museum Lane - St. Mark Lane, E.C.	3852 London Wall	4, Electra House, Fenchurch Lane
1948 London Wall	The Bank, Long St., RUTLAND E.C.		Foreign Auction Mart, Court, GARDNER & C.

Clerk's Name and Title

13 JAN 12

Chapelms
receivable 46.7

INVOCARON HAND WHICH ECORGAGE TOWN PLANNING

which has been considered

COMMITTEE TOSSUP CONDUCTIBLE QUESTION SINCE 1909

to submit

SLANTINGLY FINAL REPORT INDICATING GENERAL PECKING

and where water pipes

ROADS AND DRAINS ALESAM TOGGLEHOLE WILL RUN

stop when this

P.W.D.

will prepare

SILVERGRAY JORTOLINE IS COMPLETED TRAITORLY PLEADABLE

REPLIES SHOULD BE ORDERED *via Eastern*

Doubtful words should be OFFICIALLY explained. See Rate Book

No inquiry respecting this Telegram can be attended to without production of this Copy



TELEGRAMS
 2632 London W. 1st 141, Old Broad Street, E.C.
 2929 Gerhart 149, Strand, W.C. (Charing Cross)
 881 Avenue 4, Leadenhall Street, E.C.
 852 Avenue Market Buildings, 45, Mooring Lane,
 at Mark Lane, E.C.
 1846 London W. 1st 141, Old Broad Street, E.C.

TELEGRAMS
 2942 Hol 8, Dagenham Street, Dagenham, E.
 2516 Gerhart 11 & 42, Parliament Street, W.
 1014 Holborn 27, Holborn Viaduct, E.C.
 2632 London W. 1st 141, Old Broad Street, E.C.
 Foreign Agents: Messrs. Cable and Wireless, Ltd., 1, Abchurch Lane, E.C.

146

3 JAN 12

Chapelnic

467

estimate for

with the agreement of the

EMPANNE NECESSARY DRAINAGE SYSTEM RESEAU OFFERT

authorities stop. It is not expected that will be available

HEALTH ARCADIA SILVERGRAY ESTAFETTE WATER ARCTOPE

it is intended to meet cost of

TILL 1914 AND INSOMNIONS CRISSABANT NECESSARY

DRAINAGE FROM SCHEDULE 31 OFFERT PROPITIANT ESTIMATES

low + then

BETWEEN NUMBFISH - GIROUARD

Exp. CAP
1402
12

117

G.D.
R 17 DEC
D. 17

13
13

19 Dec. 1912



DRAFT.

Africa Protectorate No. 876

with ref to Sir P. Girouard's

Belfield

MINUTE

- Sir H. J. Aust.
- Sir J. Anderson.
- Lord Emmott.
- Mr. Harcourt.

tel of the 13th of Jan last, -

which it was stated that on the

completion of the report of the

Taxi-Planning Committee, the

P.W.D. would prepare an estimate

for Mombasa
for a drainage system, in connection

with the water supply, meeting the

requirements of the Health authorities

(As recommended by
TAMS C'ttee at their
last meeting)

I have the honor to enquire

what progress has been made

with the matter